

NEWION 6

SITEPLAN



1ST STOREY

- A. SENTRY POINT
- B. DROP OFF POINT
- C. CAR PARK
 (OPEN TO SKY)
- D. GENSET
- E. BIN CENTRE

5TH STOREY

- 1. CHILDREN PLAYGROUND
- 2. PAVILION WITH
 - BBQ CORNER

SKY TERRACE PLAN - 14TH FLOOR



LEGEND:

- 1. gymnasium
- 2. CHANGING ROOM CUM TOILET AND SHOWER POINT
- 3. Lobby
- 4. SWIMMING POOL
- 5. POOL DECK
- 6. OUTDOOR SHOWER
- 7. Wading Pool
- 8. Cabana


TYPE A (1-BEDROOM)


UNIT #06-01 TO #13-01. #15-01 TO #24-01 #06-08 TO #13-08. #15-08 TO #24-08 #06-09 TO #13-09, #15-09 TO #24-09 AREA 474 SQFT / 44 SQM



TYPE A1 (1-BEDROOM)


Unit #06-04 to #13-04, #15-04 to #24-04 area 484 sqft / 45 sqm





TYPE A1-G (1-BEDROOM)


UNIT #05-04




ALL PLANS ARE SUBJECT TO AMENDMENTS AS APPROVED BY THE RELEVANT AUTHORITIES. FLOOR AREAS ARE APPROXIMATE MEASUREMENTS AND SUBJECT TO FINAL SURVEY.

TYPE A-G (1-BEDROOM)


unit #05-01, #05-08, #05-09 area 570 sqft / 53 sqm






TYPE B (2-bedroom)


UNIT #06-05 TO #13-05, #15-05 TO #24-05 AREA 560 SQFT / 52 SQM



TYPE B1 (2-bedroom)

UNIT #06-07 TO #13-07, #15-07 TO #24-07 AREA 614 SQFT / 57 SQM





unit #06-02 to #13-02, #15-02 to #24-02 area 775 sqft / 72 sqm

TYPE C


(2+1-bedroom)

TYPE C1-G (2+1-BEDROOM)


unit #05-06 area 1378 sqft / 128 sqm

TYPE C1 (2+1-bedroom)

UNIT #06-06 TO #13-06, #15-06 TO #24-06 AREA 775 SQFT / 72 SQM









TYPE B1-G (2-BEDROOM)

unit #05-07





TYPE B-G (2-bedroom)


unit #05-05 area 1033 sqft / 96 sqm



ALL PLANS ARE SUBJECT TO AMENDMENTS AS APPROVED BY THE RELEVANT AUTHORITIES. FLOOR AREAS ARE APPROXIMATE MEASUREMENTS AND SUBJECT TO FINAL SURVEY.









ALL PLANS ARE SUBJECT TO AMENDMENTS AS APPROVED BY THE RELEVANT AUTHORITIES.
FLOOR AREAS ARE APPROXIMATE MEASUREMENTS AND SUBJECT TO FINAL SURVEY.

TYPE C2 (2+1-bedroom)

UNIT #06-03 to #13-03, #15-03 to #24-03 AREA 775 SQFT / 72 SQM






TYPE C2-G (2+1-BEDROOM)


unit #05-03

area 1173 sqft / 109 sqm




TYPE C-G (2+1-BEDROOM)

unit #05-02 area 850 sqft / 79 sqm



TYPE A-P (1+1-bedroom penthouse)


unit #25-01 area 947 sqft / 88 sqm




MASTER BEDROOM COVERED ROOF TERRACE (not to be enclosed) A/C LEDGE Roof line above ROOF COVERS BALCONY BELOW


TYPE A1-P (1+1-BEDROOM PENTHOUSE)


unit #25-09 area 936 sqft / 87 sqm












TYPE A2-P (1+1-bedroom penthouse)


unit #25-08


area 926 sqft / 86 sqm



TYPE A3-P (1+1-BEDROOM PENTHOUSE)

unit #25-04 area 1119 sqft / 104 sqm







MASTER BEDROOM &


COVERED ROOF TERRACE (not to be enclosed)

ROOF COVERS BALCONY BELOW



TYPE B-P (2-bedroom penthouse) unit #25-05 area 1163 sqft / 108 sqm







TYPE B1-P


(2-bedroom penthouse)

unit #25-07

area 1216 sqft / 113 sqm









TYPE C-P

(2+1-bedroom penthouse)

unit #25-02

area 1539 sqft / 143 sqm







TYPE C1-P


(2+1-bedroom penthouse)

unit #25-06

area 1539 sqft / 143 sqm










TYPE C2-P (2+1-bedroom penthouse)

unit #25-03

area 1496 sqft / 139 sqm







SPECIFICATIONS

1. FOUNDATION

PILED FOUNDATION.

2. SUBSTRUCTURE AND SUPERSTRUCTURE REINFORCED CONCRETE FRAMEWORK.

3. WALL

EXTERNAL

PRE-CAST CONCRETE PANELS/WALLS AND/OR BRICK

INTERNAL PRE-CAST CONCRETE PANELS/WALLS AND/OR DRY WALL

PARTITIONS AND/OR BRICK WALLS.

4. ROOF

: REINFORCED CONCRETE ROOF. FLAT ROOF

5. CEILING

A) LIVING, DINING, BEDROOMS, STUDY, KITCHEN AND BATHROOMS SKIM COAT AND/OR PLASTER BOARD CEILING WITH EMULSION PAINT

B) HOUSEHOLD SHELTER AND BALCONY SKIM COAT WITH EMULSION PAINT.

6. FINISHES

A) INTERNAL WALLS [FOR APARTMENTS]

1) LIVING, DINING, MASTER BEDROOMS, BEDROOMS, STUDY AND KITCHEN

CEMENT AND SAND PLASTER AND/OR SKIM COAT WITH EMULSION PAINT AND/OR DRY WALL WITH EMULSION PAINT.

II) MASTER BATHROOMS AND BATHROOMS IMPORTED MARBLE TILES LAID UP TO FALSE CEILING HEIGHT AND

ON EXPOSED SURFACE ONLY.

III) HOUSEHOLD SHELTER

SKIM COAT WITH EMULSION PAINT.

B) INTERNAL WALLS [COMMON AREAS]

1) LIFT LOBBIES (1ST STOREY AND 14TH STOREY SKY TERRACE) IMPORTED MARBLE AND/OR GRANITE TILES AND/OR HOMOGENOUS TILES TO LIFT WALL AND/OR TO DESIGNATED AREAS.

CEMENT AND SAND PLASTER AND/OR SKIM COAT TO OTHER AREAS. II) OTHER LIFT LOBBIES, CORRIDORS, STAIRCASES AND LANDING

CEMENT AND SAND PLASTER AND/OR SKIM COAT WITH EMULSION

I) CEMENT AND SAND PLASTER WITH TEXTURED COATING AND/OR EMULSION PAINTING

D) FLOOR [FOR APARTMENTS]

TYPE A. A1. A-G. A1-G . A-P. A1-P. A2-P. A3-P

- I) LIVING, DINING, KITCHEN, MASTER BEDROOM AND STUDY (TYPE A-P. A1-P. A2-P. A3-P) TIMBER STRIPS
- II) BALCONY, HOUSEHOLD SHELTER AND PES (TYPE A-G, A1-G)
- IMPORTED HOMOGENEOUS AND/OR CERAMIC TILES. III) master bathroom (type A-P, A1-P, A2-P, A3-P) and bathroom
- IMPORTED MARBLE TILES. IV) ROOF TERRACE AND OPEN BALCONY (TYPE A-P, A1-P, A2-P, A3-P)
- TIMBER DECK AND/OR HOMOGENEOUS TILES.
- v) internal staircase (type A-P, A1-P, A2-P and A3-P) TIMBER STRIPS AT TREAD ONLY PLASTER AND PAINT TO RISER.

TYPE B, B1, B-G, B1-G, B-P, B1-P

- 1) LIVING, DINING, KITCHEN, MASTER BATHROOM AND BATHROOM IMPORTED MARBLE TILES.
- II) BALCONY, HOUSEHOLD SHELTER AND PES (TYPE B-G, B1-G)
- IMPORTED HOMOGENOUS TILE AND/OR CERAMIC TILE.
- III) MASTER BEDROOM AND BEDROOM
- IV) ROOF TERRACE AND OPEN BALCONY (TYPE B-P, B1-P)
- TIMBER DECK AND/OR HOMOGENOUS TILES.
- V) INTERNAL STAIRCASE (TYPE B-P, B1-P) TIMBER STRIPS TO TREAD ONLY. PLASTER AND PAINT TO RISER.

TYPE C, C1, C2, C-G, C1-G, C2-G, C-P, C1-P, C2-P

- I) LIVING, DINING, MASTER BATHROOM AND BATHROOM IMPORTED MARBLE TILES.
- II) BALCONY, HOUSEHOLD SHELTER AND PES (TYPE C-G, C1-G, C2-G) IMPORTED HOMOGENOUS TILES AND/OR CERAMIC TILE.
- III) KITCHEN IMPORTED COMPRESSED MARBLE.
- TIMBER STRIPS V) ROOF TERRACE AND OPEN BALCONY (TYPE C-P. C1-P. C2-P)
- TIMBER DECK AND/OR HOMOGENOUS TILES. VI) INTERNAL STAIRCASE (TYPE C-P, C1-P, C2-P)
- TIMBER STRIPS TO TREAD ONLY.
- PLASTER AND PAINT TO RISER

E) FLOOR [COMMON AREAS]

- LIFT LOBBIES (1ST STOREY AND 14TH STOREY SKY TERRACE) IMPORTED MARBLE AND/OR GRANITE TILES.
- II) OTHER LIFT LOBBIES
- IMPORTED HOMOGENEOUS AND/OR CERAMIC TILES.
- III) STAIRCASES AND LANDING (1ST FLIGHT FROM 1ST STOREY TO BE CERAMIC TILES) CEMENT AND SAND SCREED.
- IV) SKY TERRACE (14TH STOREY)
- IMPORTED HOMOGENEOUS AND/OR CERAMIC TILES. TIMBER DECK TO DESIGNATED AREAS.

MARBLE, LIMESTONE AND GRANITE ARE NATURAL STONE MATERIALS CONTAINING VEINS WITH TONALITY DIFFERENCES. THERE WILL BE COLOUR AND MARKINGS CAUSED BY THEIR COMPLEX MINERAL COMPOSITION AND INCORPORATED IMPURITIES. WHILE SUCH MATERIALS CAN BE PRE-SELECTED BEFORE INSTALLATION, THIS NON-CONFORMITY CANNOT BE TOTALLY avoided. Granite tiles are pre-polished before laying and care has BEEN TAKEN FOR THEIR INSTALLATION. HOWEVER GRANITE, BEING A MUCH HARDER MATERIAL THAN MARBLE, CANNOT BE RE-POLISHED AFTER INSTALLATION, HENCE SOME DIFFERENCES CAN BE FELT AT THE IOINTS. Subject to clause 14.3, the tonality and pattern of marble, limestone OR GRANITE SELECTED AND INSTALLED SHALL BE SUBJECT TO AVAILABILITY.

a) bedrooms, study, bathrooms, kitchen (type c, c1, c2, c-g, c1-g, C2-G, C-P, C1-P, C2-P)

ALUMINIUM FRAMED WINDOWS.

B) MASTER BEDROOMS (TYPE B1, C, C1, C2, B1-G, C-G, C1-G, C2-G), STUDY (TYPE C, C1, C2, C-G, C1-G, C2-G), BEDROOM 2 (TYPE C1, C1-G) AND MASTER BATHROOM (TYPE C2, C2-G) ALUMINIUM CURTAIN WALL SYSTEM

NOTE:

- A) ALL ALUMINIUM FRAMES SHALL BE POWDER COATED FINISH.
- B) ALL GLAZING SHALL BE APPROXIMATELY 6MM THICK.
- C) ALL WINDOWS ARE EITHER SIDE-HUNG, TOP-HUNG, BOTTOM-HUNG OR SLIDING OR ANY COMBINATION OF THE MENTIONED
- d) all glazing up to 1m from floor level shall be of tempered or
- LAMINATED GLASS. E) ALL WINDOWS INCLUDING TOILET WINDOWS CAN BE EITHER FROSTED, TINTED OR CLEAR GLASS.

8. Doors

A) MAIN ENTRANCE DOOR

APPROVED FIRE-RATED TIMBER DOOR.

- B) MASTER BEDROOMS, BEDROOMS, STUDY AND BATHROOMS HOLLOW CORE TIMBER DOOR.
- C) BALCONY, OPEN ROOF TERRACE, OPEN BALCONY ALUMINIUM FRAMED GLASS DOOR
- D) KITCHEN (TYPE C. C1. C2. C-G. C1-G. C2-G. C-P. C1-P. C2-P) HOLLOW CORE TIMBER DOOR WITH GLASS VIEWING PANEL
- E) HOUSEHOLD SHELTER

METAL DOOR AS APPROVED BY RELEVANT AUTHORITY.

- A) GLAZING SHALL BE APPROXIMATELY 6MM THICK.
- B) ALL ALUMINIUM FRAMES SHALL BE POWDER COATED FINISH. C) DOORS CAN EITHER BE OF SWING OR SLIDING TYPE WITH OR WITHOUT
- FIXED GLASS PANEL.

MAIN ENTRANCE DOOR AND OTHER HOLLOW CORE TIMBER DOORS SHALL

BE PROVIDED WITH GOOD QUALITY IMPORTED LOCKSET.

10. Sanitary fittings

- A) MASTER BATHROOM
- 1 shower screen with shower mixer
- 1 Overhead shower 1 vanity cabinet c/w basin and mixer tap
- 1 water closet
- 1 paper holder
- 1 TOWER RAIL

B) COMMON BATHROOMS

- 1 SHOWER SCREEN WITH SHOWER MIXER AND HAND SHOWER
- 1 VANITY CABINET C/W BASIN AND MIXER TAP
- 1 water closet 1 MIRROR
- 1 paper holder
- 1 towel rail

- 1 SINGLE BOWL KITCHEN SINK WITH SINGLE LEVER MIXER
- D) OPEN BALCONY, ROOF TERRACE, LANDSCAPED GARDEN AND PES

E) OPEN ROOF TERRACE AND PES

C-G, C2-G, A-P, A1-P, A2-P, A3-P, B-P, B1-P, C-P, C1-P, C2-P)

A) WATER CLOSET MAY BE EITHER WALL HUNG OR FLOOR MOUNTED.

11. ELECTRICAL INSTALLATION

A) CONCEALED ELECTRICAL WIRING IN CONDUITS. B) REFER TO ELECTRICAL SCHEDULE FOR DETAILS.

12 TV/TELEPHONE

- A) SHCV TV POINT IS PROVIDED.
- B) REFER TO ELECTRICAL SCHEDULE FOR DETAILS. C) FIBRE OPTIC CABLE IS PROVIDED (UP TO DISTRIBUTION BOARD OF EACH

13. LIGHTNING PROTECTION

LIGHTNING PROTECTION SYSTEM SHALL BE PROVIDED IN ACCORDANCE WITH SINGAPORE STANDARD CP33.

14. PAINTING

EXTERNAL WALLS EMULSION PAINT

INTERNAL WALLS : EMULSION PAINT

15. WATERPROOFING

WATERPROOFING TO FLOORS OF KITCHEN (TYPE C, C1, C2, C-G, C1-G, C2-G, C-P, C1-P, C2-P), BATHROOMS, BALCONY, OPEN BALCONY, ROOF TERRACE, LANDSCAPED GARDEN (TYPE C-P, C1-P, C2-P, C1-G AND C2-G), PES (TYPE A-G, A1-G, B-G, B1-G, C-G, C1-G, C2-G) AND REINFORCED CONCRETE

16. DRIVEWAY, RAMP AND CAR PARK

CAR PARK RAMP REINFORCED CONCRETE SLAB WITH HARDENER.

17. RECREATIONAL FACILITIES

- SWIMMING POOL WADING POOL
- WATER JET CORNER GYMNASIUN
- CABANA
- CHANGING ROOM CUM TOILET AND SHOWER POINT PAVILION WITH BBQ CORNER
- CHILDREN PLAYGROUND WIRELESS INTERNET CONNECTION PROVIDED AT 14TH STOREY SKY

18. additional items

A) WARDROBES

BUILT-IN WARDROBES TO ALL BEDROOMS.

B) KITCHEN CABINETS

POST ONLY).

- I) KITCHEN OF TYPE A, A1, B, B1, A-G, A1-G, B-G, B1-G, A-P, A1-P, A2-P, A3-P. B-P. B1-P
- BUILT-IN HIGH AND LOW LEVEL KITCHEN CABINETS COMPLETE WITH INTEGRATED REFRIGERATOR, INDUCTION HOB, COOKER HOOD, BUILT-IN MICROWAVE OVEN, INTEGRATED WASHER CUM DRYER AND GRANITE SURFACE COUNTERTOP.
- II) KITCHEN OF TYPE C, C1, C2, C-G, C1-G, C2-G, C-P, C1-P, C2-P BUILT-IN HIGH AND LOW LEVEL KITCHEN CABINETS COMPLETE WITH INTEGRATED REFRIGERATOR, INDUCTION HOB, COOKER HOOD, BUILT-IN OVEN AND GRANITE SURFACE COUNTERTOP.
- C) AIR-CONDITIONING TO LIVING, DINING, MASTER BEDROOMS, BEDROOMS
- E) AUDIO/VIDEO INTERCOM (FROM APARTMENT TO SIDE-GATE & SENTRY
- F) CARD ACCESS FOR LIFT CAR AND SIDE-GATE.

D) HOT WATER SUPPLY TO BATHROOMS AND KITCHEN.

- G) LANDSCAPED GARDEN IS PROVIDED AT TYPE C1-G, C2-G, C-P, C1-P, C2-P.
- H) MECHANICAL VENTILATION PROVIDED AT BATHROOM OF TYPE A-G, A1-G, A, A1; BATHROOM 2 OF TYPE B1-G, B1, A-P, A1-P, A2-P, A3-P, B1-P; MASTER BATHROOM OF TYPE B. B-G. I) EXTERNAL FACADE TREATMENT BLOCKS SOME OF THE VIEWS FROM

BALCONY FOR TYPE A, A1, B, B1, C1; PES OF TYPE A-G, A1-G, B-G, B1-G;

OPEN BALCONY OF TYPE A-P. A1-P. A2-P. A3-P. B-P. B1-P. C1-P.

J) PRIVATE POOL IS PROVIDED AT TYPE A1-G, TYPE B-G, TYPE C1-G.

- 1. LAYOUT/LOCATIONS OF WARDROBES, KITCHEN CABINETS AND FAN COIL
- UNITS ARE SUBJECT TO ARCHITECT'S SOLE DISCRETION AND FINAL DESIGN. 2. WHERE WARRANTIES ARE GIVEN BY THE MANUFACTURERS AND/OR CONTRACTORS AND/OR SUPPLIERS OF ANY OF THE EQUIPMENT AND/OR APPLIANCES INSTALLED BY THE VENDOR AT THE UNIT, THE VENDOR SHALL ASSIGN TO THE PURCHASER SUCH WARRANTIES AT THE TIME WHEN
- POSSESSION OF THE UNIT IS DELIVERED TO THE PURCHASER. 3. regular maintenance by the purchasers of the air-conditioning SYSTEMS, INCLUDING THE CLEARING OF FILTERS AND CONDENSATION PIPES, IS ESSENTIAL FOR THE EFFICIENT RUNNING AND PROLONGING
- THEIR OPERATING LIFE. 4. The purchaser is liable to pay annual fee, submission fee and SUCH OTHER FEE TO THE STARHUB CABLE VISION LTD (SCV) AND/OR INTERNET SERVICE PROVIDERS (ISP) OR ANY OTHER RELEVANT PARTY OR ANY OTHER RELEVANT AUTHORITIES. THE VENDOR IS NOT RESPONSIBLE TO MAKE ARRANGEMENTS WITH ANY OF THE SAID PARTIES FOR THE SERVICE CONNECTION FOR THEIR RESPECTIVE SUBSCRIPTION CHANNELS
- AND/OR INTERNET ACCESS. 5. IF THE PURCHASER REQUIRES INTERNET ACCESS, THE PURCHASER WILL HAVE TO MAKE DIRECT ARRANGEMENT WITH THE INTERNET SERVICES PROVIDER AND/OR SUCH RELEVANT ENTITIES/AUTHORITIES FOR INTERNET SERVICES TO THE UNIT AND TO MAKE ALL NECESSARY PAYMENTS TO THE INTERNET SERVICES PROVIDER AND/OR SUCH RELEVANT
- AUTHORITIES. 6. for landscaped garden (type c1-g, c2-g, c-p, c1-p, c2-p), purchaser to maintain the landscaping provided. Landscaped garden NOT TO BE ENCLOSED OR ROOFED OVER OR CHANGED TO ANY OTHER USAGE WITHOUT PRIOR APPROVAL BY COMPETENT AUTHORITY.
- 7. TIMBER IS A NATURAL MATERIAL CONTAINING GRAIN/VEIN AND TONAL DIFFERENCES, THUS IT IS NOT POSSIBLE TO ACHIEVE TOTAL CONSISTENCY OF COLOUR AND GRAIN IN ITS SELECTION AND INSTALLATION. TIMBER JOINT CONTRACTION/EXPANSION MOVEMENT DUE TO VARYING AIR MOISTURE CONTENT IS ALSO A NATURAL PHENOMENON 8. Glass is a manufactured material that is not 100% pure

INVISIBLE NICKEL SULPHIDE IMPURITIES MAY CAUSE SPONTANEOUS GLASS

BREAKAGE IN CERTAIN PIECES OF TEMPERED GLASS, IT IS NOT POSSIBLE

TO DETECT THIS DEFECT PRIOR TO THE BREAKAGE, WHICH MAY OCCUR

IN ALL TEMPERED GLASS BY ALL MANUFACTURERS. THE PURCHASER IS

RECOMMENDED TO TAKE UP HOME INSURANCE COVERING GLASS

BREAKAGE TO COVER THIS POSSIBLE EVENT.

- 9. TELEPHONE RECEPTION ON MOBILE PHONES WITHIN THE DEVELOPMENT IS SUBJECT TO AVAILABILITY/PROVISION OF SATELLITE/WIRELESS COVERAGE BY THE RESPECTIVE MOBILE TELEPHONE NETWORK SERVICE PROVIDERS AND IT IS NOT WITHIN THE PURVIEW/CONTROL OF THE VENDOR.
- 10. SELECTED THE SIZE AND THE SURFACE FLATNESS CANNOT BE PERFECT AND SUBJECT TO ACCEPTABLE RANGE DESCRIBED IN SINGAPORE STANDARD SS483:2000. 11. LOCATION OF WIRELESS INTERNET CONNECTION PROVISION IS
- DESIGNATED AND SHALL RELY ON THE SUBSCRIPTION OF SERVICE BY THE MANAGEMENT CORPORATION WITH THE RELEVANT SERVICE PROVIDER. 12. THE BRAND, COLOUR AND MODEL OF ALL MATERIALS, FITTINGS, FOUIPMENT, FINISHES, INSTALLATIONS SUPPLIED SHALL BE PROVIDED
- SUBJECT TO ARCHITECT'S SELECTION, MARKET AVAILABILITY AND THE SOLE DISCRETION OF THE VENDOR. 13. Swimming pool depth for unit type A1-p, B-G, C1-G is maximum
- 14. Swimming pool filtration system has to be maintained and CLEANED ON A REGULAR BASIS BY PURCHASERS AT PURCHASERS' OWN COST TO ENSURE GOOD WORKING CONDITION OF THE SYSTEM

(TYPE A1-P, B-G AND C1-G). DESCRIPTION OF THE HOUSING PROJECT

GENERAL DESCRIPTION

PROPOSED ERECTION OF A BLOCK OF 26-STOREY RESIDENTIAL FLATS (TOTAL 180 UNITS) WITH 4 STOREY CAR PARKS AND SWIMMING POOL ON 14TH STOREY SKY TERRACE ON LOT 00709N TS28 AT NEWTON ROAD (NOVENA PLANNING AREA).

DETAILS OF BUILDING SPECIFICATIONS

AS PER SPECIFICATIONS IN THE FIRST SCHEDULE.

TYPES OF RESIDENTIAL UNITS LOCATED IN THE BUILDING PROJECT

TYPE A	- I BEDROOM
TYPE A1	- 1 bedroom
TYPE B	- 2 bedrooms
TYPE B1	- 2 bedrooms
TYPE C	- 2 + 1 bedrooms
TYPE C1	- 2 + 1 bedrooms
TYPE C2	- 2 + 1 BEDROOMS
TYPE A-G	- 1 bedroom
TYPE A1-G	- 1 bedroom
TYPE B-G	- 2 bedrooms
TYPE B1-G	- 2 bedrooms
TYPE C-G	- 2 + 1 bedrooms
TYPE C1-G	- 2 + 1 bedrooms
TYPE C2-G	- 2 + 1 bedrooms
TYPE A-P	- 1 + 1 BEDROOMS
TYPE A1-P	- 1 + 1 BEDROOMS
TYPE A2-P	- 1 + 1 BEDROOMS
TYPE A3-P	- 1 + 1 BEDROOMS
TYPE B-P	- 2 bedrooms
TYPE B1-P	- 2 bedrooms
TYPE C-P	- 2 + 1 bedrooms
TYPE C1-P	- 2 + 1 bedrooms
TYPE C2-P	- 2 + 1 bedrooms

TOTAL NUMBER OF UNITS IN EACH CLASS:	
apartment unit types	NO. OF UNITS
TYPE A	54
TYPE A1	18
TYPE B	18
TYPE B1	18
TYPE C	18
TYPE C1	18
TYPE C2	18
TYPE A-G	3
TYPE A1-G	1
TYPE B-G	1
TYPE B1-G	1
TYPE C-G	1
TYPE C1-G	1
TYPE C2-G	1
TYPE A-P	1
TYPE A1-P	1
TYPE A2-P	1
TYPE A3-P	1
TYPE B-P	1
TYPE B1-P	1
TYPE C-P	1
TYPE C1-P	1
TYPE C2-P	1

DESCRIPTION OF COMMON PROPERTY SWIMMING POOL, WADING POOL, WATER JET CORNER, GYMNASIUM, CABANA, CHANGING ROOM CUM TOLLET AND SHOWER POINT, PAVILION WITH BRO CORNER, CHILDREN'S PLAYGROUND AND ALL OTHER AREAS & AMENITIES DEEMED

SUCH BY THE RELEVANT AUTHORITIES. DESCRIPTION OF PARKING SPACES

EQUIPMENT.

180

PURPOSE OF BUILDING PROJECT AND RESTRICTIONS AS TO USE

- THE BUILDING PROJECT IS STRICTLY FOR RESIDENTIAL OCCUPATION ONLY. MANAGEMENT ROOM IS NOT PROVIDED. BALCONIES CANNOT BE CONVERTED TO ANY OTHER USES FOR ANY REASON
- WHATSOEVER. 4. FOR CYCLICAL MAINTENANCE WORK TO BE CARRIED OUT TO THE BUILDING FACADE, OWNERS OF PENTHOUSE UNITS AND 5TH STOREY UNITS SHALL ALLOW ACCESS TO MAINTENANCE TEAM AND MOUNTING OF SERVICE
- 5. THE OPEN BALCONY, OPEN ROOF TERRACES AND LANDSCAPED GARDEN ARE NOT TO BE ENCLOSED OR ROOFED OVER.
- 6. The area shown as open car parks in the approved plans shall not BE ROOFED OVER WITHOUT PLANNING PERMISSION